

SHEET 1 OF 11

Filing Date

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

Application Number 10/585,841
Filing Date July 12, 2006
First Named Inventor C.S. Thummel
Group Art Unit 1635
Examiner Name Unassigned

(Use as many sheets as necessary)

4.36

Cite

Examiner's

U.S. PATENT DOCUMENTS

Date Name Class Subclass

 Initials
 No.
 No.

 B1.
 3,687,808
 08-29-1972

Document

Merrigan et al. 08-14-1969

FOREIGN PATENT DOCUMENTS

Examiner's Initials	Cite No. Foreign Patent Document Country Code- Number-Kind Code		Date	Name	Translation Yes/No
	B2.	WO 92/03566	03-05-1992	Yale University	Yes
	В3.	WO 93/22434	11-11-1993	Yale University	Yes
	B4.	WO 95/024489	09-14-1995	Yale University	Yes

NON-PATENT DOCUMENTS

Examiner's	Cite	Non-Patent Citations
Initials	No.	(include Author, Title, Publisher, Relevant Pages, Date and Place of Publication)
	B5.	Adams MD, Celniker SE, Holt RA, Evans CA, Gocayne JD, et al. (2000) The
	БЭ.	genome sequence of Drosophila melanogaster. Science, 287(5461): 2185-95.
		Andres AJ, Fletcher JC, Karim FD, Thummel CS. (1993) Molecular analysis
	B6.	of the initiation of insect metamorphosis: a comparative study of Drosophila
		ecdysteroid-regulated transcription. Dev. Biol., 160(2): 388-404.
		Antoniewski C, Laval M, Dahan A, Lepesant JA. (1994) The ecdysone
	B7.	response enhancer of the Fbp1 gene of Drosophila melanogaster is a direct
		target for the EcR/USP nuclear receptor. Mol. Cell. Biol., 14(7): 4465-74.
	Do	Arbeitman MN, Hogness DS. (200) Molecular chaperones activate the
B8.		Drosophila ecdysone receptor, an RXR heterodimer. Cell, 101(1): 67-77.
		Askew B, Ballester P, Buhr C, Jeong KS, Jones S, Parris K, Williams K,
	B9.	Rebek J. (1989) Molecular recognition with convergent functional groups.
	D9.	VI. Synthetic and structural studies with a model receptor for nucleic acid
		components. J. Am. Chem. Soc., 111(3): 1082-90.
		Ayer S, Walker N, Mosammaparast M, Nelson JP, Shilo BZ, Benyajati C.
	B10.	(1993) Activation and repression of Drosophila alcohol dehydrogenase distal
	D10.	transcription by two steroid hormone receptor superfamily members binding
		to a common response element. Nucleic Acids Res., 21(7): 1619-27.

Examiner Signature:

Date Considered:



Complete if Known

SHEET 2 OF 11

	Complete if Known			
	Application Number	10/585,841		
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST	Filing Date	July 12, 2006		
DISCLOSURE STATEMENT LIST	First Named Inventor	C.S. Thummel		
(Use as many sheets as necessary)	Group Art Unit	1635		
(Good as many sneeds as necessary)	Examiner Name	Unassigned		
Barker JL, McBurney I	RN. (1979) Phenobarbitone m	odulation of		
	ceptor function on cultured macei., 206(1164): 319-27.	ammalian neurons. Proc.		
	tic dissection of behavior. Sci	. Am., 229(6): 24-37.		
Berman BP, Nibu Y, P. Rubin GM, Eisen MB. clustering to identify ci	feiffer BD, Tomancak P, Celm (2002) Exploiting transcription s-regulatory modules involved a Proc. Natl. Acad .Sci. USA,	niker SE, Levine M, n factor binding site d in pattern formation in		
Blumberg B, Sabbagh	W Jr, Juguilon H, Bolado J Jr, SXR, a novel steroid and xen	, van Meter CM, Ong		
Boyd L, O'Toole E, Th	ammel CS. (1991) Patterns of E74A RNA and protein of metamorphosis in Drosophila. Development,			
Brummelkamp TR, Ber	rnards R, Agami R. (2002) A erfering RNAs in mammalian			
Brun A, Cuany A, Le M the Drosophila melanog	Mouel T, Berge J, Amichot M. gaster cytochrome P450 gene, cide susceptible or resistant s 703.	CYP6A2, by		
	Fruscoloni P, Tocchini-Valensmall model substrate for euk	•		
Carter P, Presta L, Gorn Rowland AM, Kotts C,	man CM, Ridgway JB, Henne Carver ME, Shepard HM. (19 dy for human cancer therapy.	992) Humanization of an		
R20 Chothia C, Lesk AM. (1987) Canonical structures for ulins. J. Mol. Biol., 196(4): 9			
	en J, Pittendrigh B, French-C			

Examiner	Signature:
----------	------------

B21.

266(4): 556-63.

Date Considered:

EXAMINER: If citation conforms with MPEP 609 and the Examiner considers the citation, then please initial by the reference. If the citation does not conform with MPEP 609, and the Examiner does not consider the citation, then please draw a line through the citation. Please include copy of this form with next communication to applicant.

resistance in Drosophila correlates with Cyp6g1 over-expression and confers

cross-resistance to the neonicotinoid imidacloprid. Mol. Genet. Genomics,



Complete if Known

SHEET 3 OF 11

I

		Application Number	10/585,841			
SUPPLEMENTAL INFORMATION			Filing Date	July 12, 2006		
DISCLOSE	DISCLOSURE STATEMENT LIST		First Named Inventor	C.S. Thummel		
(Use as m	nanv sh	eets as necessary)	Group Art Unit	1635		
(ose as many shoets as necessary)		Examiner Name	Unassigned			
	B22.	Daborn PJ, Yen JL, Bogwitz MR, Le Goff G, Feil E, Jeffers S, Tijet N, Perry T, Heckel D, Batterham P, Feyereisen R, Wilson TG, French-Constant RH. (2002) A single p450 allele associated with insecticide resistance in Drosophila. Science, 297(5590): 2253-256.				
	B23.	Danielson PB, MacIntyre RJ, Fogleman JC. (1997) Molecular cloning of a family of xenobiotic-inducible drosophilid cytochrome p450s: evidence for involvement in host-plant allelochemical resistance. Proc. Natl. Acad. Sci. USA, 94(20): 10797-802.				
		Danielson DD Foster II	Mandahill MAN Comith NAV	Footomer IC (1008)		

B23.	Danielson PB, MacIntyre RJ, Fogleman JC. (1997) Molecular cloning of a family of xenobiotic-inducible drosophilid cytochrome p450s: evidence for involvement in host-plant allelochemical resistance. Proc. Natl. Acad. Sci. USA, 94(20): 10797-802.
B24.	Danielson PB, Foster JL, McMahill MM, Smith MK, Fogleman JC. (1998) Induction by alkaloids and phenobarbital of Family 4 Cytochrome P450s in Drosophila: evidence for involvement in host plant utilization. Mol. Gen. Genet., 259(1):54-9.
B25.	Dinan L, Whiting P, Girault JP, Lafont R, Dhadialla TS, Cress DE, Mugat B, Antoniewski C, Lepesant JA. (1997) Cucurbitacins are insect steroid hormone antagonists acting at the ecdysteroid receptor. Biochem J., 327 (Pt 3): 643-50.
B26.	Dunkov BC, Guzov VM, Mocelin G, Shotkoski F, Brun A, Amichot M, Ffrench-Constant RH, Feyereisen R. (1997) The Drosophila cytochrome P450 gene Cyp6a2: structure, localization, heterologous expression, and induction by phenobarbital. DNA Cell. Biol., 16(11): 1345-56.
B27.	Englisch U, Gauss DH. (1991) Chemically modified oligonucleotides as probes and inhibitors. Angewandte Chemie-Int'l. Ed., 30: 613-629.
B28.	Escriva H, Delaunay F, Laudet V. (2000) Ligand binding and nuclear receptor evolution. Bioessays, 22(8): 717-27.
B29.	Finley KD, Edeen PT, Foss M, Gross E, Ghbeish N, Palmer RH, Taylor BJ, McKeown M. (1998) Dissatisfaction encodes a tailless-like nuclear receptor expressed in a subset of CNS neurons controlling Drosophila sexual behavior. Neuron, 21(6): 1363-74.
B30.	Fisk GJ, Thummel CS. (1995) Isolation, regulation, and DNA-binding properties of three Drosophila nuclear hormone receptor superfamily members. Proc. Natl. Acad. Sci. USA, 92(23): 10604-608.
B31.	Fogleman JC. (2000) Response of Drosophila melanogaster to selection for P450-mediated resistance to isoquinoline alkaloids. Chem. Biol. Interact., 125(2): 93-105.

Examiner Signature:

Date Considered:



Complete if Known

SHEET 4 OF 11

	CHINDLE HAVE A		Application Number	10/585,841	
	SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST		Filing Date	July 12, 2006	
			First Named Inventor	C.S. Thummel	
	(Use as many sh	eets as necessary)	Group Art Unit	1635	
i			Examiner Name	Unassigned	
	B32.		1990) Similar cage-shaped structease P and ribonuclease M		
	B33.		Picard F, Auwerx J. (2003) Nu Annu. Rev. Physiol., 65: 261-		
	B34.		Tricoire H. (2004) Genome was in adult drosophila mela	-	
	B35.		solid dose bioassay for insecticides using the fruit fly ter). Bull. Environ. Contam. Toxicol., 69(1): 35-40.		
	В36.	Gronemeyer H. (1992) (receptors. FASEB J., 6(Control of transcription activation by steroid hormone (8): 2524-529.		
	B37.	Hannon GJ. (2002) RNA	A interference. Nature, 418(6894): 244-51.		
	B38.		(1993) The orphan receptor I ia a novel response element. I	-	
	B39.	steroid/thyroid hormone melanogaster that shares	res extensive sequence similarity with a mammalian Acids Res., 18(14): 4143-48.		
	B40.	Horner MA, Chen T, The binding properties of Dr members. Dev. Biol., 16	nummel CS. (1995) Ecdystero osophila nuclear hormone rec 8(2): 490-502.	eptor superfamily	
	B41.) Transcriptional repression b rinol. Metab., 11(1): 6-10.	y nuclear hormone	
- 1					

Examiner Signature:	Date Considered:	
	2 and considered.	

Jaeger JA, Turner DH, Zuker M. (1990) Predicting optimal and suboptimal

Jaeger JA, Turner DH, Zuker M. (1989) Improved predictions of secondary

Jones SA, Moore LB, Shenk JL, Wisely GB, Hamilton GA, McKee DD, Tomkinson NC, LeCluyse EL, Lambert MH, Willson TM, Kliewer SA,

Moore JT. (2000) The pregnane X receptor: a promiscuous xenobiotic receptor that has diverged during evolution. Mol. Endocrinol., 14(1): 27-39.

secondary structure for RNA. Methods Enzymol., 183: 281-306.

structures for RNA. Proc. Natl. Acad .Sci. USA, 86(20): 7706-10.

EXAMINER: If citation conforms with MPEP 609 and the Examiner considers the citation, then please initial by the reference. If the citation does not conform with MPEP 609, and the Examiner does not consider the citation, then please draw a line through the citation. Please include copy of this form with next communication to applicant.

B42.

B43.

B44.



SHEET 5 OF 11

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known					
Application Number	10/585,841				
Filing Date	July 12, 2006				
First Named Inventor	C.S. Thummel				
Group Art Unit	1635				
Examiner Name	Unassigned				

		Examiner Name	Unassigned
B45.	complementarity-determ mouse. Nature, 321(606		ibody with those from a
B46.	, -	l CS. (2003) Drosophila nucle ling, Vol. 3, (Bradshaw R, De ork, pp. 69-73	-
B47.		1A, Lam G, Thummel CS. (20 es xenobiotic responses in Dro	•
B48.	1	3, Willson TM. (2002) The nur of xenobiotic metabolism. E	
B49.	, ,	nuclear pregnane X receptor 133(7 Suppl): 2444S-2447S.	regulates xenobiotic
B50.	Koelle MR, Talbot WS, (1991) The Drosophila I	Segraves WA, Bender MT, CECR gene encodes an ecdyson eceptor superfamily. Cell, 67(e receptor, a new
B51.	_	A, Hogness DS. (1992) DHR Natl. Acad. Sci. USA, 89(13)	<u>-</u>
B52.		S. (2002) Spatial patterns of e set of Drosophila metamorpho	-
B53.	receptor activation and f	S. (2003) Methods to characte function in vivo, In: Methods 364 (Russell, D.W., and Manork, pp. 475-490.).	in Enzymology.
B54.		Zakour RA. (1987) Rapid an enotypic selection. Methods E	-
B55.	S, Tower J. (2004) Simi	Skvortsov D, Yang J, Rabin lar gene expression patterns cophila melanogaster. Proc. Na	haracterize aging and
B56.	_	os J, Wu C. (1991) FTZ-F1, a blicated in the activation of fu	

Examiner Signature:

Date Considered:



10/585,841

Complete if Known

Application Number

SHEET 6 OF 11

	1.pp			
SUPPLEMENTAL INFORMATIO	I Filing Date	July 12, 2006		
DISCLOSURE STATEMENT LIS	First Named Inventor	C.S. Thummel		
(Use as many sheets as necessary)	Group Art Unit	1635		
(Ose as many sneets as necessary)	Examiner Name	Unassigned		
	G. (1995) Ecdysone regulation of the synergistic action of ecdyson 6-26.			
	I. (1989) Automated site-directe eletons for primary structure gen 236(1283): 125-40.			
I RAY I	. (1968) Method of feeding ethy a males. Dros. Inf. Serv., 43: 193	968) Method of feeding ethyl methane sulfonate ales. Dros. Inf. Serv., 43: 193.		
	001) Model-based analysis of ol mputation and outlier detection.	_		
		J, Sluder AE. (2001) A C. elegans orphan nuclear kenobiotic resistance. Curr. Biol., 11(11): 864-8.		
B62. Maglich JM, Stoltz (SA. (2002) Nuclear regulate overlapping	CM, Goodwin B, Hawkins-Brow pregnane x receptor and constitute but distinct sets of genes involve Pharmacol., 62(3): 638-46	vn D, Moore JT, Kliewer ative androstane receptor		
B63. Haussler MR, Mang		Xie W, Whitfield GK, Domoto H, Evans RM, dorf DJ. (2002) Vitamin D receptor as an intestinal see, 296(5571):1313-16.		
Mangelsdorf DJ, Th	ummel C, Beato M, Herrlich P, er P, Mark M, Chambon P, Evan			

nuclear receptor superfamily: the second decade. Cell, 83(6): 835-39.

Maurel, P. (1996). Cytochromes P450: Metabolic and Toxicological aspects. In Cytochromes P450: Metabolic and Toxiological Aspects, C. Ioannnides,

McKinlay MA, Rossmann MG. (1989) Rational design of antiviral agents.

Mlodzik M, Hiromi Y, Weber U, Goodman CS, Rubin GM. (1990) The

Nielsen PE, Egholm M, Berg RH, Buchardt O. (1991) Sequence-selective recognition of DNA by strand displacement with a thymine-substituted

Drosophila seven-up gene, a member of the steroid receptor gene

superfamily, controls photoreceptor cell fates. Cell, 60(2): 211-24.

Examiner Sign	nature:		Date Considered:			

polyamide. Science, 254(5037): 1497-500.

ed. (Boca Raton, CRC Press), pp. 241-270.

Annu. Rev. Pharmacol. Toxicol., 29: 111-22.

EXAMINER: If citation conforms with MPEP 609 and the Examiner considers the citation, then please initial by the reference. If the citation does not conform with MPEP 609, and the Examiner does not consider the citation, then please draw a line through the citation. Please include copy of this form with next communication to applicant.

B65.

B66.

B67.

B68.



SHEET 7 OF 11

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST First Nam

(Use as many sheets as necessary)

Complete if Known			
Application Number	10/585,841		
Filing Date	July 12, 2006		
First Named Inventor	C.S. Thummel		
Group Art Unit	1635		
Examiner Name	Unassigned		

	Examiner Name Unassigned		
B69.	Nuclear Receptors Committee (1999), A Unified Nomenclature System for the Nuclear Receptor Subfamily, Cell 97(2): 161-63.		
B70.	Oakeshott JG, Home I, Sutherland TD, Russell RJ. (2003) The genomics of insecticide resistance. Genome Biol., 4(1): 202.		
B71.	Ohno CK, Petkovich M. (1993) FTZ-F1 beta, a novel member of the Drosophila nuclear receptor family. Mech. Dev., 40(1-2): 13-24.		
B72.	Oro AE, McKeown M, Evans RM. (1990) Relationship between the product of the Drosophila ultraspiracle locus and the vertebrate retinoid X receptor. Nature. 347(6290): 298-301.		
B73.	Pak MD, Gilbert LI. (1987). Developmental analysis of ecdysteroids during the metamorphosis of. Drosophila melanogaster. <i>J. Liq. Chrom.</i> 10, 2591-2611.		
B74.	Palladino MJ, Hadley TJ, Ganetzky B. (2002) Temperature-sensitive paralytic mutants are enriched for those causing neurodegeneration in Drosophila. Genetics, 161(3): 1197-208		
B75.	Paul CP, Good PD, Winer I, Engelke DR. (2002) Effective expression of small interfering RNA in human cells. Nat. Biotechnol., 20(5): 505-8.		
B76.	Pearson WR, Lipman DJ. (1988) Improved tools for biological sequence comparison. Proc. Natl. Acad. Sci. USA, 85(8): 2444-8.		
B77.	Perry and Davies. QSAR: Quantitative Structure-Activity Relationships in Drug Design, Proceedings of the 7th European Symposium on OSAR held in Interlaken, Switzerland, Sep. 5-9, 1998, pp. 189-193 (Alan R. Liss, Inc. 1989).		
B78.	Pignoni F, Baldarelli RM, Steingrímsson E, Diaz RJ, Patapoutian A, Merriam JR, Lengyel JA. (1990) The Drosophila gene tailless is expressed at the embryonic termini and is a member of the steroid receptor superfamily. Cell, 62(1): 151-63.		
B79.	Presta LG, Lahr SJ, Shields RL, Porter JP, Gorman CM, Fendly BM, Jardieu PM. (1993) Humanization of an antibody directed against IgE. J. Immunol., 151(5): 2623-632.		
B80.	Presta L. (2003) Antibody engineering for therapeutics. Curr. Opin. Struct. Biol., 13(4): 519-25.		
B81.	Ranson H, Claudianos C, Ortelli F, Abgrall C, Hemingway J, Sharakhova MV, Unger MF, Collins FH, Feyereisen R. (2002) Evolution of supergene families associated with insecticide resistance. Science, 298(5591): 179-81.		

Examiner Signature:

Date Considered:



SHEET 8 OF 11

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

Comple	te if Known
Application Number	10/585,841
Filing Date	July 12, 2006
First Named Inventor	C.S. Thummel
Group Art Unit	1635
Examiner Name	Unassigned

(Use as many sheets as necessary)		Group Art Unit	1635	
		Examiner Name	Unassigned	
B82.	Richards G. (1981) The radioimmune assay of ecdysteroid titres in Drosophila melanogaster. Mol. Cell. Endocrinol., 21(3): 181-97.			
B83.	Richards G. (1992) Swit	tching partners? Curr. Biol., 2	2(12): 657-59.	
B84.	Riddiford LM, Hiruma K, Zhou X, Nelson CA. (2003) Insights into the molecular basis of the hormonal control of molting and metamorphosis from Manduca sexta and Drosophila melanogaster. Insect Biochem. Mol. Biol., 33(12): 1327-38.			
B85.	Riechmann L, Clark M, Waldmann H, Winter G. (1988) Reshaping human antibodies for therapy. Nature, 332(6162): 323-27.			
B86.	Ripka, Computers Picture the Perfect Drug. New Scientist 54-57 (June 16, 1988).			
B87.	Robinson-Rechavi M, Laudet V. (2003) Bioinformatics of nuclear receptors. Methods Enzymol., 364: 95-118.			
B88.	Robinson-Rechavi M, Carpentier AS, Duffraisse M, Laudet V. (2001) How many nuclear hormone receptors are there in the human genome? Trends Genet., 17(10): 554-56			
B89.	Robinson-Rechavi M, Escriva Garcia H, Laudet V. (2003) The nuclear receptor superfamily. J. Cell. Sci., 116(Pt 4): 585-86.			
B90.	Rong YS, Golic KG. (2000) Gene targeting by homologous recombination in Drosophila. Science, 288(5473): 2013-8.			
B91.	Rong YS, Titen SW, Xie HB, Golic MM, Bastiani M, Bandyopadhyay P, Olivera BM, Brodsky M, Rubin GM, Golic KG. (2002) Targeted mutagenesis by homologous recombination in D. melanogaster. Genes Dev., 16(12): 1568-81.			
B92.	Rouvinen J, Gynther J, Konschin H, Tylli H. (1988) Computer-Aided Drug Design. Acta Pharm. Fenn., 97(4): 159-166.			
B93.	Rubin GM, Spradling AC. (1983) Vectors for P element-mediated gene transfer in Drosophila. Nucleic Acids Res., 11(18): 6341-51.			
B94.	Segraves WA, Hogness DS. (1990)The E75 ecdysone-inducible gene responsible for the 75B early puff in Drosophila encodes two new members of the steroid receptor superfamily. Genes Dev., 4(2): 204-19.			

Examiner Signature:

Date Considered:



SHEET 9 OF 11

		Complete if Known		
		Application Number	10/585,841	
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST	Filing Date	July 12, 2006		
	First Named Inventor	C.S. Thummel		
(Use as many sh	(Use as many sheets as necessary)	Group Art Unit	1635	
		Examiner Name	Unassigned	
B95.	Shea MJ, King DL, Conboy MJ, Mariani BD, Kafatos FC. (1990) Proteins that bind to Drosophila chorion cis-regulatory elements: a new C2H2 zinc finger protein and a C2C2 steroid receptor-like component. Genes Dev., 4(7): 1128-40.			
B96.	Shostak Y, Van Gilst MR, Antebi A, Yamamoto KR. (2004) Identification of C. elegans DAF-12-binding sites, response elements, and target genes. Genes Dev., 18(20): 2529-44.			
B97.	Sims MJ, Hassal DG, Brett S, Rowan W, Lockyer MJ, Angel A, Lewis AP, Hale G, Waldmann H, Crowe JS.(1993) A humanized CD18 antibody can block function without cell destruction. J. Immunol., 151(4): 2296-308.			
B98.	Sluder AE, Mathews SW, Hough D, Yin VP, Maina CV. (1999) The nuclear receptor superfamily has undergone extensive proliferation and diversification in nematodes. Genome Res., 9(2): 103-20.			
B99.	Smith TF, Waterman MS. (1981) Comparison of biosequences. Adv. Appl. Math., 2: 482-89.			
B100.	Stone BL, Thummel CS. (1993) The Drosophila 78C early late puff contains E78, an ecdysone-inducible gene that encodes a novel member of the nuclear hormone receptor superfamily. Cell, 75(2): 307-20.			
B101.	Stunnenberg HG. (1993) Mechanisms of transactivation by retinoic acid receptors. Bioessays, 15(5): 309-15.			
B102.	Sueyoshi T, Negishi M. (2001) Phenobarbital response elements of cytochrome P450 genes and nuclear receptors. Annu. Rev. Pharmacol. Toxicol, 41: 123-43.			
B103.	Swevers L, Iatrou K. (2003) The ecdysone regulatory cascade and ovarian development in lepidopteran insects: insights from the silkmoth paradigm. Insect Biochem. Mol. Biol., 33(12): 1285-97.			
B104.	Thomas HE, Stunnenberg HG, Stewart AF. (1993) Heterodimerization of the Drosophila ecdysone receptor with retinoid X receptor and ultraspiracle. Nature, 362(6419): 471-75.			
B105.	Thummel C, Pirrotta V. vectors. Dros. Info. Serv	(1992) Technical notes: new vices 71:150.	pCasper P element	
B106.		C, Hogness DS. (1990) Spatia ing Drosophila development.		

Examiner Signature:

Date Considered:



SHEET 10 OF 11

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known		
Application Number	10/585,841	
Filing Date	July 12, 2006	
First Named Inventor	C.S. Thummel	
Group Art Unit	1635	
Examiner Name	Unassigned	

Use as many	(Use as many sheets as necessary)		1033		
		Examiner Name	Unassigned		
B107	1	Thummel CS. (1995) From embryogenesis to metamorphosis: the regulation and function of Drosophila nuclear receptor superfamily members. Cell, 83(6):871-7.			
B108		Tontonoz P, Mangelsdorf DJ. (2003) Liver X receptor signaling pathways in cardiovascular disease. Mol. Endocrinol., 17(6): 985-93.			
B109	regulatory hierarchy: the	Urness LD, Thummel CS. (1995) Molecular analysis of a steroid-induced regulatory hierarchy: the Drosophila E74A protein directly regulates L71-6 transcription. EMBO J., 14(24): 6239-46.			
B110	, ,	Verhoeyen M, Milstein C, Winter G. (1988) Reshaping human antibodies: grafting an antilysozyme activity. Science, 239(4847): 1534-36.			
B111	(1994) The Broad-Com	von Kalm L, Crossgrove K, Von Seggern D, Guild GM, Beckendorf SK. (1994) The Broad-Complex directly controls a tissue-specific response to the steroid hormone ecdysone at the onset of Drosophila metamorphosis. EMBO			
B112	Weinmann AS, Farnham PJ. (2002) Identification of unknown target genes of human transcription factors using chromatin immunoprecipitation. Methods, 26(1): 37-47.				
B113	Isolation and developme	Weller J, Sun GC, Zhou B, Lan Q, Hiruma K, Riddiford LM. (2001) Isolation and developmental expression of two nuclear receptors, MHR4 and betaFTZ-F1, in the tobacco hornworm, <i>Manduca sexta</i> . Insect Biochem. Mol.			
B114	Wilson TE, Fahrner TJ, Milbrandt J. (1993) The orphan receptors NGFI-B and steroidogenic factor 1 establish monomer binding as a third paradigm of nuclear receptor-DNA interaction. Mol. Cell. Biol., 13(9): 5794-804				
B115	Wilson TG. (2001). Resistance of Drosophila to toxins. Annu. Rev. Entomol., 46: 545-571.				
B116	for the stage specificity ecdysone. Cell, 79(4): 6	Woodard CT, Baehrecke EH, Thummel CS. (1994) A molecular mechanism for the stage specificity of the Drosophila prepupal genetic response to ecdysone. Cell, 79(4): 607-15.			
B117	Yao TP, Segraves WA, Oro AE, McKeown M, Evans RM. (1992) Drosophila ultraspiracle modulates ecdysone receptor function via heterodimer formation. Cell, 71(1): 63-72				

Examiner Signature:

Date Considered:



SHEET 11 OF 11

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complet	e if Known	
Application Number	10/585,841	
Filing Date	July 12, 2006	. 1
First Named Inventor	C.S. Thummel	
Group Art Unit	1635	
Examiner Name	Unassigned	

		Examiner Name		Unassigned
B118.	Yao TP, Forman BM, Jiang Z, Cherbas L, Chen JD, McKeown M, Cherbas P, Evans RM. (1993) Functional ecdysone receptor is the product of EcR and Ultraspiracle genes. Nature, 366(6454): 476-479			
B119.	Yuan Y, Altman S. (1995) Substrate recognition by human RNase P: identification of small, model substrates for the enzyme. EMBO J., 14(1): 159-68.			
B120.	Yuan Y, Hwang ES, Altman S. (1992) Targeted cleavage of mRNA by human RNase P. Proc. Natl. Acad. Sci. USA, 89(17): 8006-10.			
B121.	Zhong W, Sladek FM, Darnell JE Jr. (1993) The expression pattern of a Drosophila homolog to the mouse transcription factor HNF-4 suggests a determinative role in gut formation. EMBO J., 12(2): 537-44.			
B122.	Zhou C, Tabb MM, Sad activate the steroid and a expression of its target g	xenobiotic receptor,	SXR, and	l selectively regulate
B123.	Zhu Z, Kim S, Chen T, Lin JH, Bell A, Bryson J, Dubaquie Y, Yan N, Yanchunas J, Xie D, Stoffel R, Sinz M, Dickinson K. (2004) Correlation of high-throughput pregnane X receptor (PXR) transactivation and binding assays. J. Biomol. Screen, 9(6): 533-40.			
B124.	Zuker M. (1989) On finding all suboptimal foldings of an RNA molecule. Science, 244(4900): 48-52.			

Examiner Signature:

Date Considered: